Our line of AERO® Bowl Cleaners ranges from aggressive high acid bowl cleaners to mild non-acid bowl cleaners to satisfy every need in restroom maintenance.

# HIGHLIGHTS

High acid bowl cleaner

 Removes rust and hard water deposits

EPA Registered

## TYPICAL PROPERTIES

Specific Gravity: 1.136

• Acidity (as Hydrogen Chloride): **23% min.** 

• Quaternary Ammonium Chlorides: **0.75% min.** 

• Corrosion Inhibition: **Excellent** 

• Appearance: White Emulsion

- Odor: Acidic
- USDA: C-2

#### SAFETY CAUTIONS

• Keep out of reach of children.

• Corrosive: Causes eye and skin damage (or skin irritation). Do not get in eyes, on skin, or on clothing.

• Wear goggles or face shield and rubber gloves when handling.

• Do not breathe vapor or fumes.

• Refer to M.S.D.S. and product label for additional safety information and directions for use.

### HMIS RATINGS

Flammability Health **30** Reactivity Personal Protection



# White E. I. Disinfectant Bowl Cleaner

High Acid Disinfectant Toilet Bowl Cleaner With Organic Soil Tolerance For Hospital-Institutional-Industrial Use Based on a Synergistic Combination of Quaternary Ammonium Compounds And an Acid Compatible Detergent System. Disinfects Cleans-Deodorizes Removes Stains and Hard Water Deposits This product is a concentrated acid disinfectant bathroom toilet bowl cleaner, especially formulated to

bathroom toilet bowl cleaner, especially formulated to kill many germs commonly found in hospital, industrial and institutional environments. It contains a high level of acid together with an acid compatible detergent system which facilitates the easy removal of resistant stains and permits its disinfectant action. When used as directed, it cleans, disinfects and deodorizes in one easy step.

#### **DIRECTIONS-**

• Flush toilet. Add 3 fluid oz. (6 tablespoons) directly to water in toilet bowl (3/4 gallon). Brush to cover all interior surfaces of the bowl including under the rim. Allow disinfectant solution to remain at least 10 minutes. Flush toilet.

• To clean badly stained bowls, repeat above treatment using 4 to 5 fluid ounces.

• For use in urinals, add 3 fluid oz. (6 tablespoons) to 3/4 gallon of water. Apply by brush to all urinal surfaces. Allow disinfectant solution to remain at least 10 minutes. Flush.

• At 3 fluid oz. / 3/4 gallon of water, it is effective against a broad spectrum of micro-organisms commonly found in toilet bowls and urinals. Effectiveness against Pseudomonas aeruginosa, Salmonella choleraesuis, Staphylococcus aureus, Shigella dysenteriae, Streptococcus faecalis, Escherichia coli, Serratia marcescens, and Salmonella typhi in the presence of 5% serum has been confirmed by the AOAC Use-Dilution procedure.

distributed by:



a division of: **ABC COMPOUNDING CO., INC.** Atlanta, Georgia Dallas, Texas